

# STANDARD TRIMS & FLASHINGS

## CONTENTS

Trim Type	Description	Drawing #	Page #
Base & Drip Trims (B)	Base Trim - 1 1/2" Panel - Colour One Side (C.O.S.)	M04	1
	Base Trim - 1 1/2" Panel - Colour Both Sides (C.B.S.)	M30	1
	Base Trim - 1 1/2" Panel - Colour One Side (C.O.S.) High Back	M132	2
	Base Trim - 1 1/2" Panel - Colour Both Sides (C.B.S.) High Back	M124	2
	Base Trim - 5/8" - 3/4" Panel Colour One Side (C.O.S.)	M141	3
	Base Trim - 5/8" - 3/4" Panel Colour Both Sides (C.B.S.)	M148	3
	Base Trim - 5/8" - 3/4" Panel Colour One Side (C.O.S.) High Back	M157	4
	Base Trim - 5/8" - 3/4" Panel Colour Both Sides (C.B.S.) High Back	M155	4
	Base Trim - Rat Guard - 5/8" - 3/4" Panel Colour One Side (C.O.S.)	M248	5
	Drip Trim - Mansard - 1 1/2" Panel	M27	5
	Drip Trim - Header - 1 1/2" Panel - Colour Both Sides (C.B.S.)	M112	6
	Drip Trim - Header - 5/8" - 3/4" Panel - Colour Both Sides (C.B.S.)	M151	6
	Panel Transition Trims - 5/8" - 3/4" Panel	M233, M279, M280	7
	Track Cover	M114	7
	Track Cover - 5/8" - 3/4" Panel	M240	8
	Track Cover - 5/8" - 3/4" Panel	M281	8
	End Cap - Track Cover (M281) - Right	M272	9
	End Cap - Track Cover (M281) - Left	M271	9
'Z' Flashing for Bi-Fold Door - 1 1/2" Panel - Colour Both Sides (C.B.S.)	M227	10	
Corner Trims (C)	'J' Trim - 1 1/2" Panel - Colour Both Sides (C.B.S.)	M05	10
	'J' Trim - 5/8" - 3/4" Panel - Colour One Side (C.O.S.)	M225	11
	'J' Trim - 5/8" - 3/4" Panel - Colour Both Sides (C.B.S.)	M142	11
	'J' Packer - 1 1/2" - Colour One Side (C.O.S.)	M07	12
	'J' Packer - 3/4" - Colour One Side (C.O.S.)	M143	12
	Jamb Trim - 1 1/2" Panel	M103	13
	Jamb Trim - 1 1/2" Panel	M113	13
	Jamb Trim - 5/8" - 3/4" Panel	M152	14
	8" Jamb Trim - 5/8" - 3/4" Panel	M241	14
	6" Jamb Trim - 5/8" - 3/4" Panel	M251	15
	9" Jamb Trim - 5/8" - 3/4" Panel	M252	15
	Jamb Wrap Trim (8" CEE)	M108	16
	Jamb Wrap Trim (10" CEE)	M109	16
	Corner Trim - Outside - 1 1/2" Panel	M06	17
	Corner Trim (With Profile) - Outside - 1 1/2" Panel	M128	17
	Corner Trim - Outside - 1 1/2" Panel	M140	18
	Corner Trim - Inside - Up To 1 1/2" Panel	M10	18

Custom trims and flashings are available upon request.

ExSteel trims and flashings are available in a number of standard colours. Please refer to the ExSteel Cladding Colour Availability Chart. Optional colours and coatings are available by special order.

**exsteel**  
BUILDING COMPONENTS

# STANDARD TRIMS & FLASHINGS

## CONTENTS

Trim Type	Description	Drawing #	Page #
Corner Trims (C)	Corner Trim - Inside - 1 1/2" Panel	M138	19
	Corner Trim - Inside - 1 1/2" Panel	M15	19
	Corner Trim - Outside - 5/8" - 3/4" Panel	M273	20
	Corner Trim (With Profile) - Outside - 5/8" - 3/4" Panel	M156	20
	Corner Trim - Outside - Up to 3/4" Panel	M146	21
	Corner Trim - Outside - 5/8" - 3/4" Panel	M254	21
	Corner Trim - Inside - 5/8" - 3/4" Panel	M253	22
	Corner Trim - Inside - 5/8" - 3/4" Panel	M33	22
	Liner Cap Trim - 1 1/2" Panel - Colour Both Sides (C.B.S.)	M133	23
	Liner Cap Trim - 5/8" - 3/4" Panel - Colour Both Sides (C.B.S.)	M158	23
	Liner Cap Trim - 5/8" - 3/4" Panel - Colour One Side (C.O.S.)	M226	24
	Sliding Door Trim - 5/8" - 3/4" Panel	M242	24
	Sliding Door Trim - 5/8" - 3/4" Panel	M260	25
	Window Trim - 5/8" - 3/4" Panel	M250	25
	Wall Cap - Gable (M03) - 1 1/2" Wall Panel	M104	26
	Overhang Soffit Trim - 1 1/2" Panel	M232	26

Eave Trims (E)	Low Eave Trim (With Profile) - Screw Down/RTL-24 Roof - Up to 1 1/2" Wall Panel	M02	27
	Low Eave Trim (With Profile) - Screw Down/RTL-24 Roof - 5/8" - 3/4" Wall Panel	M41	27
	Low Eave Overhang Trim (With Profile) - 12" Purlin - 1 1/2" Soffit Panel	M229	28
	Low Eave Overhang Trim (With Profile) - Screw Down Roof - 10" Purlin - 1 1/2" Soffit Panel	M31	28
	Low Eave Overhang Trim (With Profile) - 8" Purlin - 1 1/2" Soffit Panel	M228	29
	Low Eave Trim (Without Profile)	M18	29
	Low Eave Trim (Without Profile) - Screw Down Roof - 5/8" - 3/4" Panel	M284	30
	High Eave Trim (With Profile) - Screw Down Roof - 1 1/2" Wall Panel	M11	30
	End Cap - High Eave (M11) - Right	M90	31
	End Cap - High Eave (M11) - Left	M91	31
	High Eave Trim (With Profile) - 5/8" - 3/4" Screw Down Roof - 5/8" - 3/4" Wall Panel	M144	32
	High Eave Trim (With Profile) - 1 1/2" Screw Down Roof - 5/8" - 3/4" Wall Panel	M145	32
	High Eave Trim (With Profile) - RTL-24 - 5/8" - 3/4" Wall Panel	M147	33
	High Eave Trim (Without Profile) - Screw Down Roof	M20	33
	High Eave Trim -RTL-24 - 1 1/2" Wall Panel	M24	34
	Flashing Behind Gutter	M09	34
	End Cap - High Eave (M24) - Right	M106	35
	End Cap - High Eave (M24) - Left	M107	35
	Flashing Behind Gutter - 1 1/2" Wall Panel	M102	36
	Gutter - Screw Down Roof	M12	36

Custom trims and flashings are available upon request.

ExSteel trims and flashings are available in a number of standard colours. Please refer to the ExSteel Cladding Colour Availability Chart. Optional colours and coatings are available by special order.

**exsteel**  
BUILDING COMPONENTS

# STANDARD TRIMS & FLASHINGS

## CONTENTS

Trim Type	Description	Drawing #	Page #
Eave Trims (E)	End Cap - Gutter (M12) - Right	M50	37
	End Cap - Gutter (M12) - Left	M51	37
	Gutter - RTL-24 3:12 Slope and Below	M139	38
	Gutter - RTL-24 - Over 4:12 Slope	M13	38
	Gutter Cap - (M13/M139) - Right	M52	39
	Gutter Cap - (M13/M139) - Left	M53	39
	Re-Roof Edge Trim	M245	40
	Canopy Fascia Trim	M118	40
	Snow Guard * Please see below	M243	41
	Eave - 8" Soffit/8" Fascia Trim - Screw Down Roof - 5/8" - 3/4" Panel	M239/M239P	41
	Eave - 12" Soffit/8" Fascia Trim - Screw Down Roof - 5/8" - 3/4" Panel	M256/M256P	42
	Eave - 8" Soffit/8" Fascia Trim With Drip - Screw Down Roof - 5/8" - 3/4" Panel	M257/M257P	42
	Eave - 12" Soffit/8" Fascia Trim With Drip - Screw Down Roof - 5/8" - 3/4" Panel	M258/M258P	43
	Gable Trims (G)	Gable Trim (With Profile) - Screw Down Roof - Up to 1 1/2" Wall Panel	M03
End Cap - Gable (M03) - Eave (M02) - Right		M61	44
End Cap - Gable (M03) - Eave (M02) - Left		M62	44
Gable Trim (With Profile) - Screw Down Roof - 3" Wall Panel		M48	45
Gable Trim (With Profile) - 5/8" - 3/4" Wall Panel		M42	45
End Cap - Gable (M42) - Eave (M41) - Right		M73	46
End Cap - Gable (M42) - Eave (M41) - Left		M72	46
Gable Trim (Without Profile) - Screw Down Roof - Up to 1 1/2" Wall Panel		M19	47
Gable Trim (Without Profile) - Screw Down Roof - 5/8" - 3/4" Wall Panel		M285	47
Gable Trim Start (With Profile) - RTL-24 - Floating - 1 1/2" Wall Panel		M120	48
Gable Trim Start (With Profile) - RTL-24 - Floating - 3" Wall Panel		M122	48
End Cap - Panel Void Closure (M120) - Right		M134	49
End Cap - Panel Void Closure (M120) - Left		M135	49
End Cap - Gable (M122) - Right		M77	50
End Cap - Gable (M122) - Left		M78	50
End Cap - Gable (M120) - Right		M57	51
End Cap - Gable (M120) - Left		M58	51
Gable Trim Start (With Profile) - RTL-24 - Floating - 5/8" - 3/4" Wall Panel		M153	52
Gable Trim Termination (With Profile) - RTL-24 - Floating - 1 1/2" Wall Panel		M121	52
End Cap - Gable (M121) - Right		M59	53
End Cap - Gable (M121) - Left		M60	53
Gable Trim Termination (With Profile) - RTL-24 - Floating - 1 1/2" Wall Panel		M123	54
Gable Trim Termination (With Profile) - RTL-24 - Floating - 5/8" - 3/4" Wall Panel		M154	54

\* M243 Snow guards should be installed by qualified roofers who can competently consider factors such as roof type, panel thickness, roof slope, and snow loads in determining proper snow guard sizing, design and placement.

Custom trims and flashings are available upon request.

ExSteel trims and flashings are available in a number of standard colours. Please refer to the ExSteel Cladding Colour Availability Chart. Optional colours and coatings are available by special order.

**exsteel**  
BUILDING COMPONENTS

# STANDARD TRIMS & FLASHINGS

## CONTENTS

Trim Type	Description	Drawing #	Page #
Gable Trims (G)	Gable Trim Clip - RTL-24 - Floating	M119	55
	Gable Overhang Trim (With Profile) - 12" Purlin - 1 1/2" Soffit Panel	M231	55
	Gable Overhang Trim (With Profile) - Screw Down Roof - 10" Purlin - 1 1/2" Soffit Panel	M32	56
	Gable Overhang Trim (With Profile) - 8" Purlin - 1 1/2" Soffit Panel	M230	56
	Gable - 8" Soffit/4" Fascia Trim - Screw Down Roof - 5/8" - 3/4" Panel	M237	57
	Wall Cap - Gable (M120/M121/M123) - 1 1/2" Wall Panel	M125	57
	Wall Cap - Gable (M03) - 5/8" - 3/4" Wall Panel	M149	58
	Re-Roof Edge Trim	M245	58
	End Cap - Ridge Cap (M01/M28)	M75	59
	High/Low Eave Flashing	M101	59
Ridge (R)	Ridge Cap - Screw Down Roof	M01	60
	Ridge Cap - Screw Down Roof	M282	60
	Ridge Cap - Screw Down Roof	M263	61
	Ridge Cap - RTL-24	M28	61
	Vented Ridge Cap	M255, M277, M278	62
	Transition Cap (M255, M277, & M278)	M283	62
	End Cap - Vented Ridge Cap (M255, M277 & M278)	M261	63
	Vented Ridge Cap Strap (M255, M277 & M278)	M262	63
	Cap Trim	M35	64
	Liner Ridge Cap	M26	64
Transition (T)	End Cap - Box Void Closure - (M121)	M74	65
	Ridge Box - Gable (M237)	M274	65
	Corner Box - Gable (M237) - Eave (M239 & M257) - Right	M276	66
	Corner Box - Gable (M237) - Eave (M239 & M257) - Left	M275	66
	Corner Box - Gable (M237) - Eave (M256 & M258) - Right	M297	67
	Corner Box - Gable (M237) - Eave (M256 & M258) - Left	M296	67
	High/Low Eave/Gable Flashing	M234	68
	High/Low Gable Flashing	M25	68
	Eave/Gable Vapour Barrier Flashing	M34	69
	High/Low Flashing - RTL-24 - Floating (Lower Part)	M115	69
	High/Low Flashing - RTL-24 - Floating (Upper Part)	M116	70
	Canopy High/Low Flashing	M117	70
	'V' Valley Trim - Screw Down Roof	M235	71
	'W' Valley Trim - 24" - Screw Down Roof	M236	71
	'W' Valley Trim - 34" - Screw Down Roof	M249	

Custom trims and flashings are available upon request.

ExSteel trims and flashings are available in a number of standard colours. Please refer to the ExSteel Cladding Colour Availability Chart. Optional colours and coatings are available by special order.

**exsteel**  
BUILDING COMPONENTS

# STANDARD TRIMS & FLASHINGS

## CONTENTS


Trim Type	Description	Drawing #	Page #
Transition (T)	Gambrel Flashing	M238	72
	Pitch Change	M244	73
	Transition Flashing - RTL-24	M111	73
Closures (Cl)	Closure - Metal - StormSeal - Large Tab	M79	74
	Closure - Metal - StormSeal - Small Tab	M80	74
	Closure - Metal - StrucSeal - Large Tab	M246	75
	Closure - Metal - StrucSeal - Small Tab	M247	75
	Closure - Foam - VersaSeal - Small Tab	CLSVS-SM	76
	Closure - Foam - VersaSeal - Large Tab	CLSVS-LG	76
	Closure - Foam - StrucSeal - Small Tab	CLSWP-SM	77
	Closure - Foam - StrucSeal - Large Tab	CLSWP-LG	77
	Closure - Foam - StormSeal - Small Tab	CLS-SM	78
	Closure - Foam - StormSeal - Large Tab	CLS-LG	78
	Closure - Foam - DiamondSeal - Small Tab	CLSDS-SM	79
	Closure - Foam - DiamondSeal - Large Tab	CLSDS-LG	79
Accents (A)	Accent Band #1	M264	80
	Accent Band #2	M265	80
	Accent Band #3	M266	81
	Accent Band #4	M267	81
	Accent Band #5	M268	82
	Accent Band #6	M269	82
	Accent Band #7	M270	83
Downspouts	Downspout - 4" x 3"	M14	83
	Downspout Flange	M16	84
	Downspout Strap (M14)	M17	84
RTL Part	Termination Zee - RTL-24 - Coloured	M46	85
	Termination Zee - RTL-24	RZ242	85
	Slotted High Zee Plate - RTL-24	EP250	86
	Slotted Low Zee Plate - RTL-24	EP150	86
	Low Zee Plate - RTL-24	EP140	87
	High Zee Plate - RTL-24	EP240	87

Custom trims and flashings are available upon request.

ExSteel trims and flashings are available in a number of standard colours. Please refer to the ExSteel Cladding Colour Availability Chart. Optional colours and coatings are available by special order.

**exsteel**  
BUILDING COMPONENTS

'COLOUR SIDE'



GIRTH: 6 3/8"

GAUGE	WEIGHT
29	0.32#/FT.
28	0.36#/FT.
26	0.42#/FT.
24	0.55#/FT.


<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JAN 23/1990	DRAWN:	BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	

DESCRIPTION:  
BASE TRIM - 1 1/2" PANEL - C.O.S.

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

DRAWING # **M04**

'COLOUR SIDE'



GIRTH: 9 1/2"

GAUGE	WEIGHT
29	0.52#/FT.
28	0.50#/FT.
26	0.60#/FT.
24	0.80#/FT.


<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JAN 26/1990	DRAWN:	BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	

DESCRIPTION:  
BASE TRIM - 1 1/2" PANEL - C.B.S.

REV	DESCRIPTION	DATE	BY
2	EXTRA MATERIAL REMOVED	JAN 11/11	AF
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

DRAWING # **M30**

'COLOUR SIDE'




GIRTH: 7 7/8"

GAUGE	WEIGHT
29	0.37#/FT.
28	0.41#/FT.
26	0.49#/FT.
24	0.66#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	AUG 15/2002	DRAWN:	SB
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: BASE TRIM - 1 1/2" PANEL - C.O.S. - HIGH BACK			
DRAWING #		<b>M132</b>	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

'COLOUR SIDE'




GIRTH: 10 7/8"

GAUGE	WEIGHT
29	0.59#/FT.
28	0.57#/FT.
26	0.68#/FT.
24	0.91#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAR 19/2001	DRAWN:	MAG
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: BASE TRIM - 1 1/2" PANEL - C.B.S. - HIGH BACK			
DRAWING #		<b>M124</b>	

REV	DESCRIPTION	DATE	BY
2	EXTRA MATERIAL REMOVED	JAN 11/11	AF
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

'COLOUR SIDE'




GIRTH: 5 1/2"

GAUGE	WEIGHT
29	0.30#/FT.
28	0.29#/FT.
26	0.35#/FT.
24	0.46#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAR 28/2006	DRAWN:	SB
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: BASE TRIM - 5/8"-3/4" PANEL - C.O.S.			
DRAWING #		<b>M141</b>	

REV	DESCRIPTION	DATE	BY
2	REVISED DIMENSION	JAN 11/11	AF
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

'COLOUR SIDE'



GIRTH: 7 3/4"


GAUGE	WEIGHT
29	0.42#/FT.
28	0.41#/FT.
26	0.49#/FT.
24	0.65#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAR 28/2006	DRAWN:	SB
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: BASE TRIM - 5/8"-3/4" PANEL - C.B.S.			
DRAWING #		<b>M148</b>	

REV	DESCRIPTION	DATE	BY
2	EXTRA MAT'L REMOVED/DIM'S REV.	JAN 18/11	AF
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



'COLOUR SIDE'




GIRTH: 7 1/8"

GAUGE	WEIGHT
29	0.33#/FT.
28	0.37#/FT.
26	0.44#/FT.
24	0.60#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: MAR 28/2006	DRAWN: SB
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: BASE TRIM - 5/8"-3/4" PANEL - C.O.S. - HIGH BACK			
DRAWING #		M157	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

'COLOUR SIDE'




GIRTH: 9 1/8"

GAUGE	WEIGHT
29	0.50#/FT.
28	0.48#/FT.
26	0.58#/FT.
24	0.77#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: MAR 28/2006	DRAWN: SB
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: BASE TRIM - 5/8"-3/4" PANEL - C.B.S. - HIGH BACK			
DRAWING #		M155	

REV	DESCRIPTION	DATE	BY
2	EXTRA MAT'L REMOVED/DIM'S REV.	JAN 20/11	AF
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

'COLOUR SIDE'




GIRTH: 6"

GAUGE	WEIGHT
29	0.33#/FT.
28	0.32#/FT.
26	0.38#/FT.
24	0.50#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: NOV 23/2010	DRAWN: LD
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: BASE TRIM - RAT GUARD 5/8"-3/4" PANEL - C.O.S.			
DRAWING #		M248	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	MAR 14/11	AF

'COLOUR SIDE'




GIRTH: 13 9/16"


GAUGE	WEIGHT
29	0.64#/FT.
28	0.78#/FT.
26	0.91#/FT.
24	1.17#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: FEB 13/1990	DRAWN: BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: DRIP TRIM - MANSARD - 1 1/2" PANEL			
DRAWING #		M27	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



'COLOUR SIDE'




GIRTH: 10"


GAUGE	WEIGHT
29	0.45#/FT.
28	0.52#/FT.
26	0.63#/FT.
24	0.83#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: NOV 24/2000	DRAWN: IMO
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: DRIP TRIM - HEADER - 1 1/2" PANEL - C.B.S.			
DRAWING #		M112	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



'COLOUR SIDE'



GIRTH: 8 1/2"

GAUGE	WEIGHT
29	0.40#/FT.
28	0.44#/FT.
26	0.53#/FT.
24	0.71#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: MAR 28/2006	DRAWN: SB
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: DRIP TRIM - HEADER - 5/8"-3/4" PANEL - C.B.S.			
DRAWING #		M151	


REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

'COLOUR SIDE'

M233  
GIRTH: 4 1/2"

M279  
GIRTH: 4 3/4"


M280  
GIRTH: 5 1/2"



GAUGE	WEIGHT
29	0.26#/FT.
28	0.25#/FT.
26	0.30#/FT.
24	0.40#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: JAN 27/2010	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: PANEL TRANSITION TRIMS - 5/8"-3/4" PANEL			
DRAWING #		M233, M279 & M280	

REV	DESCRIPTION	DATE	BY
2	M279 & M280 ADDED	MAR 14/11	AF
1	GENERAL DETAIL REVIEW	JAN 27/10	LD




'COLOUR SIDE'

GIRTH: 17"

GAUGE	WEIGHT
29	0.80#/FT.
28	0.89#/FT.
26	1.06#/FT.
24	1.42#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: NOV 27/2000	DRAWN: IMO
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: TRACK COVER			
DRAWING #		M114	


REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



GIRTH: 11 1/2"

GAUGE	WEIGHT
29	0.53#/FT.
28	0.58#/FT.
26	0.70#/FT.
24	0.94#/FT.



		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: MAR 22/2010	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
TRACK COVER - 5/8"-3/4" PANEL			
DRAWING #		M240	
1	GENERAL DETAIL REVIEW	MAR 22/10	LD
REV	DESCRIPTION	DATE	BY



GIRTH: 11 7/8"



GAUGE	WEIGHT
29	0.65#/FT.
28	0.62#/FT.
26	0.75#/FT.
24	0.99#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: MAR 14/2011	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
TRACK COVER - 5/8"-3/4" PANEL			
DRAWING #		M281	
1	GENERAL DETAIL REVIEW	MAR 14/11	AF
REV	DESCRIPTION	DATE	BY



GAUGE	WEIGHT
29	0.17#ea.
28	0.16#ea.
26	0.20#ea.
24	0.27#ea.



<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JAN 19/2011	DRAWN: AF		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: END CAP - TRACK COVER (M281) - RIGHT			
DRAWING #			<b>M272</b>
1	GENERAL DETAIL REVIEW	MAR 14/11	AF
REV	DESCRIPTION	DATE	BY



GAUGE	WEIGHT
29	0.17#ea.
28	0.16#ea.
26	0.20#ea.
24	0.27#ea.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JAN 19/2011	DRAWN: AF		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: END CAP - TRACK COVER (M281) - LEFT			
DRAWING #			<b>M271</b>
1	GENERAL DETAIL REVIEW	MAR 14/11	AF
REV	DESCRIPTION	DATE	BY

'COLOUR SIDE'





GIRTH: 11"

GAUGE	WEIGHT
29	0.60#/FT.
28	0.58#/FT.
26	0.69#/FT.
24	0.92#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: DEC 18/2009	DRAWN: MM
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: 'Z' FLASHING FOR BI-FOLD DOOR - 1 1/2" PANEL - C.B.S.			
DRAWING #		M227	

REV	DESCRIPTION	DATE	BY
2	EXTRA MATERIAL ADDED	JAN 11/11	LD
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

'COLOUR SIDE'




GIRTH: 8"


GAUGE	WEIGHT
29	0.38#/FT.
28	0.42#/FT.
26	0.50#/FT.
24	0.67#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: JAN 23/1990	DRAWN: BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: 'J' TRIM - 1 1/2" PANEL - C.B.S.			
DRAWING #		M05	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



'COLOUR SIDE'




GIRTH: 4 1/8"


GAUGE	WEIGHT
29	0.23#/FT.
28	0.22#/FT.
26	0.26#/FT.
24	0.35#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	DEC 03/2009	DRAWN:	AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: 'J' TRIM - 5/8"-3/4" PANEL - C.O.S.			
DRAWING #		M225	
REV	DESCRIPTION	DATE	BY

2	DIMENSIONS AND GIRTH REVISED	DEC 02/10	LD
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



'COLOUR SIDE'



GIRTH: 6 1/2"


GAUGE	WEIGHT
29	0.31#/FT.
28	0.34#/FT.
26	0.41#/FT.
24	0.54#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAR 28/2006	DRAWN:	SB
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: 'J' TRIM - 5/8"-3/4" PANEL - C.B.S.			
DRAWING #		M142	
REV	DESCRIPTION	DATE	BY

1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
---	-----------------------	-----------	-----



'COLOUR SIDE'




GIRTH: 4 1/4"

GAUGE	WEIGHT
29	0.22#/FT.
28	0.25#/FT.
26	0.29#/FT.
24	0.37#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JAN 24/1990	DRAWN:	BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: 'J' PACKER - 1 1/2" - C.O.S.			
DRAWING #		<b>M07</b>	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY

'COLOUR SIDE'




GIRTH: 3 1/2"

GAUGE	WEIGHT
29	0.16#/FT.
28	0.21#/FT.
26	0.24#/FT.
24	0.31#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAR 28/2006	DRAWN:	SB
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: 'J' PACKER - 3/4" - C.O.S.			
DRAWING #		<b>M143</b>	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY


'COLOUR SIDE'



GIRTH: 10 1/4"

GAUGE	WEIGHT
29	0.65#/FT.
28	0.53#/FT.
26	0.64#/FT.
24	0.85#/FT.


<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	AUG 7/1998	DRAWN:	BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: JAMB TRIM - 1 1/2" PANEL			
DRAWING #		M103	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



GIRTH: 6 5/8"

GAUGE	WEIGHT
29	0.35#/FT.
28	0.35#/FT.
26	0.41#/FT.
24	0.55#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAR 19/2001	DRAWN:	MAG
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: JAMB TRIM - 1 1/2" PANEL			
DRAWING #		M113	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



GIRTH: 5 1/2"


GAUGE	WEIGHT
29	0.26#/FT.
28	0.29#/FT.
26	0.34#/FT.
24	0.46#/FT.

<b>exsteel</b> BUILDING COMPONENTS	7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
	DATE: MAR 28/2006	DRAWN: SB
	DATE:	CHECKED:
	DATE:	PROG:
	DATE:	ISSUED:

DESCRIPTION:  
JAMB TRIM - 5/8"-3/4" PANEL

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

DRAWING # M152



'COLOUR SIDE'

GIRTH: 11 5/8"


GAUGE	WEIGHT
29	0.53#/FT.
28	0.59#/FT.
26	0.71#/FT.
24	0.95#/FT.

<b>exsteel</b> BUILDING COMPONENTS	7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
	DATE: MAR 22/2010	DRAWN: AF
	DATE:	CHECKED:
	DATE:	PROG:
	DATE:	ISSUED:

DESCRIPTION:  
8" JAMB TRIM - 5/8"-3/4" PANEL

REV	DESCRIPTION	DATE	BY
2	DESCRIPTION UPDATED	FEB 04/11	AF
1	GENERAL DETAIL REVIEW	MAR 22/10	LD

DRAWING # M241



'COLOUR SIDE'

GIRTH: 9 5/8"


GAUGE	WEIGHT
29	0.53#/FT.
28	0.51#/FT.
26	0.61#/FT.
24	0.81#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JAN 12/2011	DRAWN: AF		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		

DESCRIPTION:  
6" JAMB TRIM - 5/8"-3/4" PANEL

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	MAR 14/11	AF

DRAWING #  
M251



'COLOUR SIDE'

GIRTH: 12 5/8"

GAUGE	WEIGHT
29	0.69#/FT.
28	0.66#/FT.
26	0.79#/FT.
24	1.06#/FT.


<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JAN 12/2011	DRAWN: AF		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		

DESCRIPTION:  
9" JAMB TRIM - 5/8"-3/4" PANEL

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	MAR 14/11	AF

DRAWING #  
M252

'COLOUR SIDE'



GIRTH: 10 3/4"

GAUGE	WEIGHT
29	0.50#/FT.
28	0.56#/FT.
26	0.67#/FT.
24	0.90#/FT.


<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	AUG 24/2000	DRAWN:	IMO
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	

DESCRIPTION: JAMB WRAP TRIM (8")

REV	DESCRIPTION	DATE	BY
2	REVISED FROM 'C' TO 'L' SHAPE	JAN 07/13	IR
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

DRAWING # M108

'COLOUR SIDE'



GIRTH: 12 3/4"


GAUGE	WEIGHT
29	0.60#/FT.
28	0.66#/FT.
26	0.80#/FT.
24	1.06#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	AUG 24/2000	DRAWN:	IMO
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	

DESCRIPTION: JAMB WRAP TRIM (10")

REV	DESCRIPTION	DATE	BY
2	REVISED FROM 'C' TO 'L' SHAPE	JAN 07/13	IR
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

DRAWING # M109




GIRTH: 12 1/8"

GAUGE	WEIGHT
29	0.50#/FT.
28	0.69#/FT.
26	0.80#/FT.
24	1.03#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JAN 24/1990	DRAWN:	BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: CORNER TRIM - OUTSIDE - 1 1/2" PANEL			
DRAWING #		<b>M06</b>	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD




GIRTH: 15"

GAUGE	WEIGHT
29	0.75#/FT.
28	0.78#/FT.
26	0.94#/FT.
24	1.25#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAR 19/2001	DRAWN:	MAG
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: CORNER TRIM (WITH PROFILE) - OUTSIDE - 1 1/2" PANEL			
DRAWING #		<b>M128</b>	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



GIRTH: 17 1/2"

'COLOUR SIDE'


GAUGE	WEIGHT
29	0.82#/FT.
28	0.91#/FT.
26	1.09#/FT.
24	1.46#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: MAR 31/2006	DRAWN: IMO
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	

DESCRIPTION: CORNER TRIM - OUTSIDE  
- 1 1/2" PANEL

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

DRAWING # M140



GIRTH: 7"

'COLOUR SIDE'

GAUGE	WEIGHT
29	0.36#/FT.
28	0.41#/FT.
26	0.48#/FT.
24	0.61#/FT.


		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: JAN 24/1990	DRAWN: BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	

DESCRIPTION: CORNER TRIM - INSIDE -  
UP TO 1 1/2" PANEL

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

DRAWING # M10

PITCH	DESIG.	A°
0/12	P00	90°
.25/12	P02	91°
.5/12	P05	92.5°
1/12	P10	94.75°
2/12	P20	99.5°
3/12	P30	104°
4/12	P40	108.5°




GIRTH: 8 5/8"

GAUGE	WEIGHT
29	0.41#/FT.
28	0.45#/FT.
26	0.54#/FT.
24	0.72#/FT.

<b>exsteel</b> BUILDING COMPONENTS	7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
	DATE: APR 5/2004	DRAWN: IMO
	DATE:	CHECKED:
	DATE:	PROG:
DATE:	ISSUED:	
DESCRIPTION: CORNER TRIM - INSIDE - 1 1/2" PANEL		
DRAWING #	M138	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD




GIRTH: 10"

GAUGE	WEIGHT
29	0.47#/FT.
28	0.57#/FT.
26	0.66#/FT.
24	0.86#/FT.

<b>exsteel</b> BUILDING COMPONENTS	7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
	DATE: JAN 24/1990	DRAWN: BVERN
	DATE:	CHECKED:
	DATE:	PROG:
DATE:	ISSUED:	
DESCRIPTION: CORNER TRIM - INSIDE - 1 1/2" PANEL		
DRAWING #	M15	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD






'COLOUR SIDE'

GIRTH: 9"

GAUGE	WEIGHT
29	0.49#/FT.
28	0.47#/FT.
26	0.57#/FT.
24	0.75#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: JAN 19/2011	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: CORNER TRIM - OUTSIDE - 5/8"-3/4" PANEL			
DRAWING #		M273	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	MAR 14/11	AF




'COLOUR SIDE'

GIRTH: 13 1/2"

GAUGE	WEIGHT
29	0.64#/FT.
28	0.70#/FT.
26	0.85#/FT.
24	1.13#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: MAR 28/2006	DRAWN: SB
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: CORNER TRIM (WITH PROFILE) - OUTSIDE - 5/8"-3/4" PANEL			
DRAWING #		M156	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



GIRTH: 13 1/4"

'COLOUR SIDE'


GAUGE	WEIGHT
29	0.62#/FT.
28	0.77#/FT.
26	0.90#/FT.
24	1.17#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAR 28/2006	DRAWN:	SB
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	

DESCRIPTION: CORNER TRIM - OUTSIDE  
- UP TO 3/4" PANEL

1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY

DRAWING # **M146**



'COLOUR SIDE'

GIRTH: 8 3/4"



GAUGE	WEIGHT
29	0.48#/FT.
28	0.46#/FT.
26	0.55#/FT.
24	0.73#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JAN 12/2011	DRAWN:	AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	

DESCRIPTION: CORNER TRIM - OUTSIDE -  
5/8"-3/4" PANEL

1	GENERAL DETAIL REVIEW	MAR 14/11	AF
REV	DESCRIPTION	DATE	BY

DRAWING # **M254**




GIRTH: 5 1/4"

GAUGE	WEIGHT
29	0.29#/FT.
28	0.28#/FT.
26	0.33#/FT.
24	0.44#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JAN 12/2011	DRAWN: AF		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: CORNER TRIM - INSIDE - 5/8"-3/4" PANEL			
DRAWING #			<b>M253</b>
1	GENERAL DETAIL REVIEW	MAR 14/11	AF
REV	DESCRIPTION	DATE	BY


PITCH	DESIG.	A°
0/12	P00	90°
.25/12	P02	91°
.5/12	P05	92.5°
1/12	P10	94.75°
2/12	P20	99.5°
3/12	P30	104°
4/12	P40	108.5°



GIRTH: 6 1/8"

GAUGE	WEIGHT
29	0.24#/FT.
28	0.34#/FT.
26	0.39#/FT.
24	0.51#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JAN 30/1990	DRAWN: BVERN		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: CORNER TRIM - INSIDE - 5/8"-3/4" PANEL			
DRAWING #			<b>M33</b>
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY




'COLOUR SIDE'

GIRTH: 11 1/4"

GAUGE	WEIGHT
29	0.53#/FT.
28	0.59#/FT.
26	0.70#/FT.
24	0.94#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	APR 5/2004	DRAWN:	SB
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: LINER CAP TRIM - 1 1/2" PANEL - C.B.S.			
DRAWING #		<b>M133</b>	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY




'COLOUR SIDE'

GIRTH: 9 3/4"

GAUGE	WEIGHT
29	0.46#/FT.
28	0.51#/FT.
26	0.61#/FT.
24	0.82#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAR 28/2006	DRAWN:	SB
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: LINER CAP TRIM - 5/8"-3/4" PANEL - C.B.S.			
DRAWING #		<b>M158</b>	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY




'COLOUR SIDE'

GIRTH: 6 3/4"


GAUGE	WEIGHT
29	0.31#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: LINER CAP TRIM - 5/8"-3/4" PANEL - C.O.S.			
DRAWING #		M226	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



'COLOUR SIDE'




GIRTH: 8 1/8"


GAUGE	WEIGHT
29	0.37#/FT.
28	0.41#/FT.
26	0.49#/FT.
24	0.65#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: MAR 22/2010	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: SLIDING DOOR TRIM - 5/8"-3/4" PANEL			
DRAWING #		M242	

REV	DESCRIPTION	DATE	BY
2	REVISED DIMENSION	JUNE 19/11	AF
1	GENERAL DETAIL REVIEW	MAR 22/10	LD



'COLOUR SIDE'





GIRTH: 10 1/8"

GAUGE	WEIGHT
29	0.55#/FT.
28	0.53#/FT.
26	0.64#/FT.
24	0.85#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JUNE 19/2011	DRAWN:	AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: SLIDING DOOR TRIM - 5/8"-3/4" PANEL			
DRAWING #		M260	
1	GENERAL DETAIL REVIEW	JUN 19/11	AF
REV	DESCRIPTION	DATE	BY

1	GENERAL DETAIL REVIEW	JUN 19/11	AF
REV	DESCRIPTION	DATE	BY




'COLOUR SIDE'

GIRTH: 5 3/8"

GAUGE	WEIGHT
29	0.30#/FT.
28	0.28#/FT.
26	0.34#/FT.
24	0.45#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JAN 12/2011	DRAWN:	AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: WINDOW TRIM - 5/8"-3/4" PANEL			
DRAWING #		M250	
1	GENERAL DETAIL REVIEW	MAR 14/11	AF
REV	DESCRIPTION	DATE	BY

1	GENERAL DETAIL REVIEW	MAR 14/11	AF
REV	DESCRIPTION	DATE	BY




GIRTH: 10 3/16"

GAUGE	WEIGHT
29	0.47#/FT.
28	0.53#/FT.
26	0.63#/FT.
24	0.84#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JAN 21/2000	DRAWN: IMO		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		

DESCRIPTION: WALL CAP - GABLE (M03) - 1 1/2" WALL PANEL			
DRAWING #			M104
REV	DESCRIPTION	DATE	BY

2	TRIM REVISED	MAY 19/15	MMD
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



PITCH	DESIG.	A'	B'
.25/12	P02	89°	91°
.5/12	P05	87°	93°
1/12	P10	85°	95°
2/12	P20	81°	100°
3/12	P30	76°	104°
4/12	P40	72°	108°
5/12	P50	67°	113°
6/12	P60	64°	116°

GIRTH: 9 1/2"


GAUGE	WEIGHT
29	0.44#/FT.
28	0.49#/FT.
26	0.59#/FT.
24	0.79#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: MAY 14/2009	DRAWN: LD		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		

DESCRIPTION: OVERHANG SOFFIT TRIM - 1 1/2" PANEL			
DRAWING #			M232
REV	DESCRIPTION	DATE	BY

2	TRIM REVISED	MAY 19/15	MMD
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

PITCH	DESIG.	A°
.25/12	P02	103°
.5/12	P05	101.5°
1/12	P10	99°
2/12	P20	94.5°
3/12	P30	90°
4/12	P40	86°




GIRTH: 12 3/8"

GAUGE	WEIGHT
29	0.62#/FT.
28	0.71#/FT.
26	0.83#/FT.
24	1.08#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JAN 23/1990	DRAWN: BVERN		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: LOW EAVE TRIM (WITH PROFILE) - SCREW DOWN/RTL-24 ROOF - UP TO 1 1/2" WALL PANEL			
DRAWING #	<b>M02</b>		

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

PITCH	DESIG.	A°
.25/12	P02	103°
.5/12	P05	101.5°
1/12	P10	99°
2/12	P20	94.5°
3/12	P30	90°
4/12	P40	86°




GIRTH: 10 7/8"

GAUGE	WEIGHT
29	0.50#/FT.
28	0.63#/FT.
26	0.73#/FT.
24	0.94#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JAN 30/1990	DRAWN: BVERN		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: LOW EAVE TRIM (WITH PROFILE) - SCREW DOWN/RTL-24 ROOF - 5/8"-3/4" WALL PANEL			
DRAWING #	<b>M41</b>		

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD





'COLOUR SIDE'

GIRTH: 21 3/8"

GAUGE	WEIGHT
29	1.00#/FT.
28	1.11#/FT.
26	1.34#/FT.
24	1.78#/FT.

**exsteel**  
BUILDING COMPONENTS


7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com

DATE: MAY 14/2009	DRAWN: LD
DATE:	CHECKED:
DATE:	PROG:
DATE:	ISSUED:

DESCRIPTION: LOW EAVE OVERHANG TRIM (WITH PROFILE) - 12" PURLIN - 1 1/2" SOFFIT PANEL

DRAWING # **M229**

REV	DESCRIPTION	DATE	BY



'COLOUR SIDE'

GIRTH: 19 1/4"

GAUGE	WEIGHT
29	0.90#/FT.
28	1.12#/FT.
26	1.30#/FT.
24	1.68#/FT.

**exsteel**  
BUILDING COMPONENTS


7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com

DATE: JAN 29/1990	DRAWN: BVERN
DATE:	CHECKED:
DATE:	PROG:
DATE:	ISSUED:

DESCRIPTION: LOW EAVE OVERHANG TRIM (WITH PROFILE) - SCREW DOWN ROOF - 10" PURLIN - 1 1/2" SOFFIT PANEL

DRAWING # **M31**

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD




GIRTH: 17 1/4"

GAUGE	WEIGHT
29	0.81#/FT.
28	0.90#/FT.
26	1.08#/FT.
24	1.44#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: MAY 14/2009	DRAWN: LD		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: LOW EAVE OVERHANG TRIM (WITH PROFILE) - 8" PURLIN - 1 1/2" SOFFIT PANEL			
DRAWING #			<b>M228</b>

REV	DESCRIPTION	DATE	BY

PITCH	DESIG.	A°
.25/12	P02	91°
.5/12	P05	92.5°
1/12	P10	94.75°
2/12	P20	99.5°
3/12	P30	104°
4/12	P40	108.5°



GIRTH: 8 9/16"


GAUGE	WEIGHT
29	0.47#/FT.
28	0.45#/FT.
26	0.54#/FT.
24	0.71#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JAN 25/1990	DRAWN: BVERN		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: LOW EAVE TRIM (WITHOUT PROFILE)			
DRAWING #			<b>M18</b>

REV	DESCRIPTION	DATE	BY
3	DIMENSION/GIRTH REVISED	MAR 15/11	AF
2	EXTRA MATERIAL REMOVED	JAN 06/11	AF
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

PITCH	DESIG.	A°
.25/12	P02	91°
.5/12	P05	92.5°
1/12	P10	94.75°
2/12	P20	99.5°
3/12	P30	104°
4/12	P40	108.5°

'COLOUR SIDE'




GIRTH: 6 5/16"

GAUGE	WEIGHT
29	0.36#/FT.
28	0.34#/FT.
26	0.41#/FT.
24	0.55#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: JUNE 19/2011	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
LOW EAVE TRIM (WITHOUT PROFILE) - SCREW DOWN ROOF - 5/8"-3/4" PANEL			
DRAWING #		M284	

REV	DESCRIPTION	DATE	BY
2	REVISED DIMENSION/GIRTH	SEP 05/11	AF
1	GENERAL DETAIL REVIEW	JUN 19/11	AF



'COLOUR SIDE'



PITCH	DESIG.	A°
.25/12	P02	105°
.5/12	P05	106.5°
1/12	P10	108.75°
2/12	P20	113.5°
3/12	P30	118°
4/12	P40	122.5°

GIRTH: 19 9/16"

GAUGE	WEIGHT
29	0.98#/FT.
28	1.12#/FT.
26	1.31#/FT.
24	1.69#/FT.



		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: JAN 24/1990	DRAWN: BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
HIGH EAVE TRIM (WITH PROFILE) - SCREW DOWN ROOF - 1 1/2" WALL PANEL			
DRAWING #		M11	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD





GAUGE	WEIGHT
29	1.88# ea.
28	2.07# ea.
26	2.49# ea.
24	3.32# ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
END CAP -- HIGH EAVE (M11) -- RIGHT			
DRAWING #		<b>M90</b>	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY





GAUGE	WEIGHT
29	1.88# ea.
28	2.07# ea.
26	2.49# ea.
24	3.32# ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
END CAP -- HIGH EAVE (M11) -- LEFT			
DRAWING #		<b>M91</b>	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



'COLOUR SIDE'

'COLOUR SIDE'



GIRTH: 16 1/16"

GIRTH: 16 13/16"

GAUGE	WEIGHT
29	0.76#/FT.
28	0.92#/FT.
26	1.08#/FT.
24	1.39#/FT.

GAUGE	WEIGHT
29	0.79#/FT.
28	0.96#/FT.
26	1.13#/FT.
24	1.45#/FT.

**exsteel**  
BUILDING COMPONENTS

7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com

DATE: MAR 28/2006 DRAWN: SB

DATE: CHECKED:

DATE: PROG:

DATE: ISSUED:

DESCRIPTION: HIGH EAVE TRIM (WITH PROFILE)  
- 5/8"-3/4" SCREW DOWN  
ROOF - 5/8"-3/4" WALL PANEL

DRAWING # **M144**

**exsteel**  
BUILDING COMPONENTS

7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com

DATE: MAR 28/2006 DRAWN: SB

DATE: CHECKED:

DATE: PROG:


DATE: ISSUED:

DESCRIPTION: HIGH EAVE TRIM (WITH PROFILE)  
- 1 1/2" SCREW DOWN ROOF  
- 5/8"-3/4" WALL PANEL

DRAWING # **M145**


REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



'COLOUR SIDE'


PITCH	DESIG.	A°
.25/12	P02	105°
.5/12	P05	106.5°
1/12	P10	108.75°
2/12	P20	113.5°
3/12	P30	118°
4/12	P40	122.5°



GIRTH: 18 5/16"


GAUGE	WEIGHT
29	0.86#/FT.
28	1.05#/FT.
26	1.23#/FT.
24	1.58#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: MAR 28/2006	DRAWN: SB		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: HIGH EAVE TRIM (WITH PROFILE) - RTL-24 - 5/8"-3/4" WALL PANEL			
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY
			DRAWING # M147



'COLOUR SIDE'


PITCH	DESIG.	A°
.25/12	P02	91°
.5/12	P05	92.5°
1/12	P10	94.75°
2/12	P20	99.5°
3/12	P30	104°
4/12	P40	108.5°



GIRTH: 12 9/16"

GAUGE	WEIGHT
29	0.59#/FT.
28	0.72#/FT.
26	0.84#/FT.
24	1.09#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JAN 25/1990	DRAWN: BVERN		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: HIGH EAVE TRIM (WITHOUT PROFILE) - SCREW DOWN ROOF			
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY
			DRAWING # M20



PITCH	DESIG.	A°
.25/12	P02	105°
.5/12	P05	106.5°
1/12	P10	108.75°
2/12	P20	113.5°
3/12	P30	118°
4/12	P40	122.5°

GIRTH: 21 1/16"

GAUGE	WEIGHT
29	1.06#/FT.
28	1.21#/FT.
26	1.41#/FT.
24	1.82#/FT.

**exsteel**  
BUILDING COMPONENTS

7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com


DATE: JAN 25/1990	DRAWN: BVERN
DATE:	CHECKED:
DATE:	PROG:
DATE:	ISSUED:

DESCRIPTION: HIGH EAVE TRIM - RTL-24  
- 1 1/2" WALL PANEL

DRAWING # **M24**

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

'COLOUR SIDE'




GIRTH: 11 1/16"

GAUGE	WEIGHT
29	0.46#/FT.
28	0.58#/FT.
26	0.69#/FT.
24	0.92#/FT.

REV	DESCRIPTION	DATE	BY
4	DIMENSION/GIRTH REVISED	MAY 19/15	MMD
3	DIMENSION/GIRTH REVISED	MAR 15/11	AF
2	EXTRA MATERIAL REMOVED	JAN 11/11	AF
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

PITCH	DESIG.	A°
.25/12	P02	91°
.5/12	P05	92.5°
1/12	P10	94.75°
2/12	P20	99.5°
3/12	P30	104°
4/12	P40	108.5°





**exsteel**  
BUILDING COMPONENTS

7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com

DATE: JAN 24/1990	DRAWN: BVERN
DATE:	CHECKED:
DATE:	PROG:
DATE:	ISSUED:



DESCRIPTION: FLASHING BEHIND GUTTER

DRAWING # **M09**



GAUGE	WEIGHT
29	1.88# ea.
28	2.07# ea.
26	2.49# ea.
24	3.32# ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
		DATE:	CHECKED:
		DATE:	PROG:
		DATE:	ISSUED:
DESCRIPTION:			
END CAP -- HIGH EAVE (M24) -- RIGHT			
		DRAWING #	M106
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY




GAUGE	WEIGHT
29	1.88# ea.
28	2.07# ea.
26	2.49# ea.
24	3.32# ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
		DATE:	CHECKED:
		DATE:	PROG:
		DATE:	ISSUED:
DESCRIPTION:			
END CAP -- HIGH EAVE (M24) -- LEFT			
		DRAWING #	M107
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



PITCH	DESIG.	A°
.25/12	P02	92°
.5/12	P05	93°
1/12	P10	95°
2/12	P20	100°
3/12	P30	104°
4/12	P40	109°

'COLOUR SIDE'



GIRTH: 13 1/8"

GAUGE	WEIGHT
29	0.61#/FT.
28	0.77#/FT.
26	0.90#/FT.
24	1.21#/FT.

**exsteel**  
BUILDING COMPONENTS

7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com

DATE: NOV 26/1997      DRAWN: BJD

DATE:                      CHECKED:


DATE:                      PROG:

DATE:                      ISSUED:

DESCRIPTION: FLASHING BEHIND GUTTER  
- 1 1/2" WALL PANEL

DRAWING # M102

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



GIRTH: 20 1/4"

GAUGE	WEIGHT
29	1.04#/FT.
28	1.18#/FT.
26	1.38#/FT.
24	1.78#/FT.

**exsteel**  
BUILDING COMPONENTS

7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com

DATE: JAN 24/1990      DRAWN: BVERN

DATE:                      CHECKED:


DATE:                      PROG:

DATE:                      ISSUED:

DESCRIPTION: GUTTER - SCREW DOWN ROOF


DRAWING # M12

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD




GAUGE	WEIGHT
29	0.38# ea.
28	0.41# ea.
26	0.50# ea.
24	0.66# ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
END CAP - GUTTER (M12) - RIGHT			
DRAWING #		M50	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY




GAUGE	WEIGHT
29	0.38# ea.
28	0.41# ea.
26	0.50# ea.
24	0.66# ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
END CAP - GUTTER (M12) - LEFT			
DRAWING #		M51	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY




PITCH	DESIG.	A°	B°
.25/12	P02	89°	91°
.5/12	P05	87.5°	92.5°
1/12	P10	85.25°	94.75°
2/12	P20	80.5°	99.5°
3/12	P30	76°	104°




GIRTH: 21 3/4"

GAUGE	WEIGHT
29	1.07#/FT.
28	1.23#/FT.
26	1.43#/FT.
24	1.84#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: APR 5/2004	DRAWN: IMO		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: GUTTER - RTL-24 - 3:12 SLOPE AND BELOW			
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY
			<b>M139</b>



PITCH	DESIG.	A°
.25/12	P02	89°
.5/12	P05	87.5°
1/12	P10	85.25°
2/12	P20	80.5°
3/12	P30	76°
4/12	P40	71.5°




GIRTH: 21 3/4"

GAUGE	WEIGHT
29	1.02#/FT.
28	1.23#/FT.
26	1.43#/FT.
24	1.84#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JAN 24/1990	DRAWN: BVERN		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: GUTTER - RTL-24 - OVER 4:12 SLOPE			
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY
			<b>M13</b>


PITCH	DESIG.	A°	B°	C°	D"
.25/12	P02	90.2°	88.6°	91.2°	6 7/16"
.5/12	P05	90.2°	87.4°	92.4°	6 5/8"
1/12	P10	90.0°	85.2°	94.8°	6 7/8"
2/12	P20	89.5°	81.0°	99.5°	7 3/8"
3/12	P30	88.8°	77.2°	104.0°	7 7/8"



GAUGE	WEIGHT
29	0.38# ea.
28	0.41# ea.
26	0.50# ea.
24	0.66# ea.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	DEC 03/2009	DRAWN:	AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: GUTTER CAP (M13/M139) – RIGHT			
DRAWING #		<b>M52</b>	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY


PITCH	DESIG.	A°	B°	C°	D"
.25/12	P02	90.2°	88.6°	91.2°	6 7/16"
.5/12	P05	90.2°	87.4°	92.4°	6 5/8"
1/12	P10	90.0°	85.2°	94.8°	6 7/8"
2/12	P20	89.5°	81.0°	99.5°	7 3/8"
3/12	P30	88.8°	77.2°	104.0°	7 7/8"



GAUGE	WEIGHT
29	0.38# ea.
28	0.41# ea.
26	0.50# ea.
24	0.66# ea.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	DEC 03/2009	DRAWN:	AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: GUTTER CAP (M13/M139) – LEFT			
DRAWING #		<b>M53</b>	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY

'COLOUR SIDE'




GIRTH: 6"

GAUGE	WEIGHT
29	0.28#/FT.
28	0.30#/FT.
26	0.37#/FT.
24	0.49#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAR 24/2010	DRAWN:	AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: RE-ROOF EDGE TRIM			
DRAWING #		M245	
1	GENERAL DETAIL REVIEW	MAR 24/10	LD
REV	DESCRIPTION	DATE	BY



'COLOUR SIDE'



GIRTH: 10 3/8"

GAUGE	WEIGHT
29	0.49#/FT.
28	0.54#/FT.
26	0.65#/FT.
24	0.86#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JAN 23/2001	DRAWN:	IMO
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: CANOPY FASCIA TRIM			
DRAWING #		M118	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY





GIRTH: 10 3/4"

GAUGE	WEIGHT
29	0.53#/FT.
28	0.66#/FT.
26	0.79#/FT.
24	1.06#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519-765-2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: MAR 22/2010	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: SNOW GUARD			
DRAWING #		M243	

REV	DESCRIPTION	DATE	BY
3	GENERAL REVISION	SEP 05/11	AF
2	REVISED DIMENSIONS/GIRTH	JAN 12/11	AF
1	GENERAL DETAIL REVIEW	OCT 14/10	LD



GIRTH: 21 3/4"


GAUGE	WEIGHT
29	0.88#/FT.
28	1.10#/FT.
26	1.32#/FT.
24	1.77#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519-765-2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: JAN 27/2010	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: EAVE - 8" SOFFIT/8" FASCIA TRIM - SCREW DOWN ROOF - 5/8"-3/4" PANEL			
DRAWING #		M239/M239P	

REV	DESCRIPTION	DATE	BY
4	REVISED DIMENSIONS/ANGLES	SEP 05/11	AF
3	GENERAL REVISION	DEC 16/10	AF
2	DIMENSION AND GIRTH REVISED	DEC 02/10	LD
1	GENERAL DETAIL REVIEW	JAN 27/10	LD

PITCH	DESIG.	A°
.25/12	P02	91°
.5/12	P05	92°
1/12	P10	94°
2/12	P20	99°
3/12	P30	104°
4/12	P40	108°

PITCH	DESIG.	A°
.25/12	P02	91°
.5/12	P05	92°
1/12	P10	94°
2/12	P20	99°
3/12	P30	104°
4/12	P40	108°




GIRTH: 25 3/4"

GAUGE	WEIGHT
29	2.15#/FT.
28	1.61#/FT.
26	1.35#/FT.
24	1.40#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JUNE 21/2011	DRAWN: AF		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: EAVE - 12" SOFFIT/8" FASCIA TRIM - SCREW DOWN ROOF - 5/8"-3/4" PANEL			
DRAWING #		<b>M256/M256P</b>	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	OCT 25/11	AF

PITCH	DESIG.	A°
.25/12	P02	91°
.5/12	P05	92°
1/12	P10	94°
2/12	P20	99°
3/12	P30	104°
4/12	P40	108°




GIRTH: 22 7/8"

GAUGE	WEIGHT
29	2.15#/FT.
28	1.61#/FT.
26	1.35#/FT.
24	1.40#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JUNE 21/2011	DRAWN: AF		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: EAVE - 8" SOFFIT/8" FASCIA TRIM WITH DRIP - SCREW DOWN ROOF - 5/8"-3/4" PANEL			
DRAWING #		<b>M257/M257P</b>	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	OCT 25/11	AF

PITCH	DESIG.	A°
.25/12	P02	91°
.5/12	P05	92°
1/12	P10	94°
2/12	P20	99°
3/12	P30	104°
4/12	P40	108°



GAUGE	WEIGHT
29	2.24#/FT.
28	1.68#/FT.
26	1.40#/FT.
24	1.46#/FT.

**exsteel**  
BUILDING COMPONENTS


7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com

DATE: JUNE 21/2011 DRAWN: AF  
DATE: CHECKED:  
DATE: PROG:  
DATE: ISSUED:

DESCRIPTION: EAVE - 12" SOFFIT/8" FASCIA TRIM WITH DRIP - SCREW DOWN ROOF - 5/8"-3/4" PANEL

DRAWING # **M258/M258P**

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	OCT 25/11	AF



GAUGE	WEIGHT
29	0.85#/FT.
28	0.98#/FT.
26	1.14#/FT.
24	1.47#/FT.

**exsteel**  
BUILDING COMPONENTS

7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com


DATE: JAN 23/1990 DRAWN: BVERN  
DATE: CHECKED:  
DATE: PROG:  
DATE: ISSUED:

DESCRIPTION: GABLE TRIM (WITH PROFILE) - SCREW DOWN ROOF - UP TO 1 1/2" WALL PANEL

DRAWING # **M03**


REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD






GAUGE	WEIGHT
29	1.88# ea.
28	2.07# ea.
26	2.49# ea.
24	3.32# ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: END CAP - GABLE (M03) - EAVE (M02) - RIGHT			
DRAWING #		M61	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



GAUGE	WEIGHT
29	1.88# ea.
28	2.07# ea.
26	2.49# ea.
24	3.32# ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: END CAP - GABLE (M03) - EAVE (M02) - LEFT			
DRAWING #		M62	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



GIRTH: 18 3/8"


GAUGE	WEIGHT
29	0.86#/FT.
28	1.06#/FT.
26	1.24#/FT.
24	1.60#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAR 2/1994	DRAWN:	BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	

DESCRIPTION:  
GABLE TRIM (WITH PROFILE) - SCREW  
DOWN ROOF - 3" WALL PANEL

1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY

DRAWING # **M48**



GIRTH: 14"


GAUGE	WEIGHT
29	0.64#/FT.
28	0.81#/FT.
26	0.94#/FT.
24	1.22#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JAN 30/1990	DRAWN:	BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	

DESCRIPTION:  
GABLE TRIM (WITH PROFILE)  
- 5/8"-3/4" WALL PANEL

1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY


DRAWING # **M42**



GAUGE	WEIGHT
29	1.88# ea.
28	2.07# ea.
26	2.49# ea.
24	3.32# ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: END CAP - GABLE (M42) - EAVE (M41) - RIGHT			
DRAWING #		<b>M73</b>	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD




GAUGE	WEIGHT
29	1.88# ea.
28	2.07# ea.
26	2.49# ea.
24	3.32# ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: END CAP - GABLE (M42) - EAVE (M41) - LEFT			
DRAWING #		<b>M72</b>	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

'COLOUR SIDE'




GIRTH: 8 9/16"

GAUGE	WEIGHT
29	0.47#/FT.
28	0.45#/FT.
26	0.54#/FT.
24	0.71#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JAN 25/1990	DRAWN: BVERN		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: GABLE TRIM (WITHOUT PROFILE) - SCREW DOWN ROOF - UP TO 1 1/2" WALL PANEL			
DRAWING #			<b>M19</b>

REV	DESCRIPTION	DATE	BY
3	DIMENSION/GIRTH REVISED	MAR 15/11	AF
2	EXTRA MATERIAL REMOVED	JAN 06/11	AF
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

'COLOUR SIDE'




GIRTH: 6 5/16"

GAUGE	WEIGHT
29	0.36#/FT.
28	0.34#/FT.
26	0.41#/FT.
24	0.55#/FT.


<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JUNE 19/2011	DRAWN: AF		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: GABLE TRIM (WITHOUT PROFILE) - SCREW DOWN ROOF - 5/8"-3/4" PANEL			
DRAWING #			<b>M285</b>

REV	DESCRIPTION	DATE	BY
2	REVISED DIMENSION/GIRTH	SEP 05/11	AF
1	GENERAL DETAIL REVIEW	JUN 19/11	AF





GAUGE	WEIGHT
29	1.05#/FT.
28	1.08#/FT.
26	1.29#/FT.
24	1.72#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAR 19/2001	DRAWN:	MAG
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: GABLE TRIM START (WITH PROFILE) - RTL-24 - FLOATING - 1 1/2" WALL PANEL			
DRAWING #		<b>M120</b>	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY





GAUGE	WEIGHT
29	1.04#/FT.
28	1.15#/FT.
26	1.38#/FT.
24	1.84#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAR 19/2001	DRAWN:	MAG
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: GABLE TRIM START (WITH PROFILE) - RTL-24 - FLOATING - 3" WALL PANEL			
DRAWING #		<b>M122</b>	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY




GAUGE	WEIGHT
29	0.19# ea.
28	0.21# ea.
26	0.25# ea.
24	0.33# ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
END CAP – PANEL VOID CLOSURE (M120) – RIGHT			
DRAWING #		M134	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



GAUGE	WEIGHT
29	0.19# ea.
28	0.21# ea.
26	0.25# ea.
24	0.33# ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
END CAP – PANEL VOID CLOSURE (M120) – LEFT			
DRAWING #		M135	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



GAUGE	WEIGHT
29	1.88# ea.
28	2.07# ea.
26	2.49# ea.
24	3.32# ea.

**exsteel**  
BUILDING COMPONENTS

7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com

DATE: JAN 14/2010      DRAWN: LD

DATE:                      CHECKED:


DATE:                      PROG:

DATE:                      ISSUED:

DESCRIPTION:  
END CAP - GABLE (M122) - RIGHT

DRAWING # **M77**

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



GAUGE	WEIGHT
29	1.88# ea.
28	2.07# ea.
26	2.49# ea.
24	3.32# ea.

**exsteel**  
BUILDING COMPONENTS

7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com

DATE: JAN 14/2010      DRAWN: LD

DATE:                      CHECKED:



DATE:                      PROG:

DATE:                      ISSUED:

DESCRIPTION:  
END CAP - GABLE (M122) - LEFT



DRAWING # **M78**

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



GAUGE	WEIGHT
29	1.88# ea.
28	2.07# ea.
26	2.49# ea.
24	3.32# ea.


		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
END CAP - GABLE (M120) - RIGHT			
DRAWING #		M57	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



GAUGE	WEIGHT
29	1.88# ea.
28	2.07# ea.
26	2.49# ea.
24	3.32# ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
END CAP - GABLE (M120) - LEFT			
DRAWING #		M58	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY






GIRTH: 17 7/8"

GAUGE	WEIGHT
29	0.84#/FT.
28	0.94#/FT.
26	1.12#/FT.
24	1.49#/FT.


		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: MAR 28/2006	DRAWN: SB
DATE:	CHECKED:	DATE:	PROG:
DATE:	ISSUED:	DATE:	ISSUED:
DESCRIPTION: GABLE TRIM START (WITH PROFILE) - RTL-24 - FLOATING - 5/8"-3/4" WALL PANEL			
DRAWING #		M153	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



GIRTH: 26 3/4"


GAUGE	WEIGHT
29	1.36#/FT.
28	1.40#/FT.
26	1.67#/FT.
24	2.23#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: MAR 19/2001	DRAWN: MAG
DATE:	CHECKED:	DATE:	PROG:
DATE:	ISSUED:	DATE:	ISSUED:
DESCRIPTION: GABLE TRIM TERMINATION (WITH PROFILE) - RTL-24 - FLOATING - 1 1/2" WALL PANEL			
DRAWING #		M121	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY




GAUGE	WEIGHT
29	1.88# ea.
28	2.07# ea.
26	2.49# ea.
24	3.32# ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
END CAP - GABLE (M121) - RIGHT			
DRAWING #		M59	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



GAUGE	WEIGHT
29	1.88# ea.
28	2.07# ea.
26	2.49# ea.
24	3.32# ea.


		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
END CAP - GABLE (M121) - LEFT			
DRAWING #		M60	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



GIRTH: 20 3/8"

GAUGE	WEIGHT
29	0.95#/FT.
28	1.06#/FT.
26	1.27#/FT.
24	1.70#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: MAR 19/2001	DRAWN: MAG		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: GABLE TRIM TERMINATION (WITH PROFILE) - RTL-24 - FLOATING - 1 1/2" WALL PANEL			
DRAWING #			<b>M123</b>
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY





GIRTH: 24"

GAUGE	WEIGHT
29	1.13#/FT.
28	1.26#/FT.
26	1.50#/FT.
24	2.00#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: MAR 28/2006	DRAWN: SB		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: GABLE TRIM TERMINATION (WITH PROFILE) - RTL-24 - FLOATING - 5/8"-3/4" WALL PANEL			
DRAWING #			<b>M154</b>
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY

'COLOUR SIDE'




GIRTH: 3 1/4"

GAUGE	WEIGHT
29	0.16#/FT.
28	0.17#/FT.
26	0.20#/FT.
24	0.27#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAR 19/2001	DRAWN:	MAG
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: GABLE TRIM CLIP - RTL-24 - FLOATING			
DRAWING #		<b>M119</b>	
REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD


'COLOUR SIDE'



GIRTH: 25 7/8"

GAUGE	WEIGHT
29	1.21#/FT.
28	1.35#/FT.
26	1.62#/FT.
24	2.16#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAY 14/2009	DRAWN:	LD
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: GABLE OVERHANG TRIM (WITH PROFILE) - 12" PURLIN - 1 1/2" SOFFIT PANEL			
DRAWING #		<b>M231</b>	
REV	DESCRIPTION	DATE	BY




GIRTH: 23 3/4"

GAUGE	WEIGHT
29	1.11#/FT.
28	1.38#/FT.
26	1.61#/FT.
24	2.07#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: JAN 29/1990	DRAWN: BVERN		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: GABLE OVERHANG TRIM (WITH PROFILE) - SCREW DOWN ROOF - 10" PURLIN - 1 1/2" SOFFIT PANEL			
DRAWING #			<b>M32</b>

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD




GIRTH: 21 3/4"

GAUGE	WEIGHT
29	1.02#/FT.
28	1.13#/FT.
26	1.36#/FT.
24	1.81#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: MAY 14/2009	DRAWN: LD		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: GABLE OVERHANG TRIM (WITH PROFILE) - 8" PURLIN - 1 1/2" SOFFIT PANEL			
DRAWING #			<b>M230</b>

REV	DESCRIPTION	DATE	BY
-----	-------------	------	----




'COLOUR SIDE'

GIRTH: 17 3/4"

GAUGE	WEIGHT
29	0.72#/FT.
28	0.90#/FT.
26	1.08#/FT.
24	1.44#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: JAN 27/2010	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: GABLE - 8" SOFFIT/4" FASCIA TRIM - SCREW DOWN ROOF - 5/8" - 3/4" PANEL			
DRAWING # M237			
REV	DESCRIPTION	DATE	BY

5	REVISED DIMENSIONS/ANGLES	SEP 05/11	AF
4	REVISED DESC./NOTE ADDED	JAN 12/11	AF
3	GENERAL REVISION	DEC 13/10	AF
2	DIMENSION AND GIRTH REVISED	DEC 02/10	LD
1	GENERAL DETAIL REVIEW	JAN 27/10	LD



'COLOUR SIDE'


GIRTH: 10 15/16"

GAUGE	WEIGHT
29	0.46#/FT.
28	0.57#/FT.
26	0.69#/FT.
24	0.91#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: MAR 19/2001	DRAWN: MAG
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: WALL CAP - GABLE (M120/M121/M123) - 1 1/2" WALL PANEL			
DRAWING # M125			
REV	DESCRIPTION	DATE	BY

2	TRIM REVISED	MAY 19/15	MMD
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

'COLOUR SIDE'




GIRTH: 8 1/8"

GAUGE	WEIGHT
29	0.38#/FT.
28	0.42#/FT.
26	0.50#/FT.
24	0.67#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: MAR 28/2006	DRAWN: SB
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: WALL CAP - GABLE (M03) - 5/8"-3/4" WALL PANEL			
DRAWING #		M149	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY

'COLOUR SIDE'





GIRTH: 6"

GAUGE	WEIGHT
29	0.28#/FT.
28	0.30#/FT.
26	0.37#/FT.
24	0.49#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: MAR 24/2010	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: RE-ROOF EDGE TRIM			
DRAWING #		M245	
1	GENERAL DETAIL REVIEW	MAR 24/10	LD
REV	DESCRIPTION	DATE	BY

PITCH	DESIG.	A°	B"
.25/12	P02	177.6°	5 15/16"
.5/12	P05	175.2°	5 7/8"
1/12	P10	170.5°	5 13/16"
1.5/12	P15	165.7°	5 3/4"
2/12	P20	161.1°	5 11/16"
3/12	P30	151.9°	5 9/16"
4/12	P40	143.1°	5 7/16"
5/12	P50	134.8°	5 5/16"
6/12	P60	126.9°	5 3/16"
7/12	P70	119.5°	5 1/8"




GAUGE	WEIGHT
29	2.75# ea.
28	3.04# ea.
26	3.65# ea.
24	4.87# ea.

<b>exsteel</b> BUILDING COMPONENTS	7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
	DATE: DEC 03/2009	DRAWN: AF
	DATE:	CHECKED:
	DATE:	PROG:
	DATE:	ISSUED:
DESCRIPTION: END CAP - RIDGE CAP (M01/M28)		
DRAWING # M75		

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

PITCH	DESIG.	A°
.25/12	P02	92°
.5/12	P05	93°
1/12	P10	95°
2/12	P20	100°
3/12	P30	104°
4/12	P40	109°



GIRTH: 21 1/8"

GAUGE	WEIGHT
29	1.07#/FT.
28	1.23#/FT.
26	1.43#/FT.
24	1.84#/FT.



<b>exsteel</b> BUILDING COMPONENTS	7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
	DATE: NOV 26/1997	DRAWN: BJD
	DATE:	CHECKED:
	DATE:	PROG:
	DATE:	ISSUED:
DESCRIPTION: HIGH/LOW EAVE FLASHING		
DRAWING # M101		

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



PITCH	DESIG.	A°
.25/12	P02	121.5°
.5/12	P05	122.5°
1/12	P10	124.75°
2/12	P20	129.5°
3/12	P30	134°
4/12	P40	138.5°

'COLOUR SIDE'



GIRTH: 14 7/8"

GAUGE	WEIGHT
29	0.75#/FT.
28	0.85#/FT.
26	0.99#/FT.
24	1.27#/FT.

**exsteel**  
BUILDING COMPONENTS

7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com

DATE: JAN 23/1990      DRAWN: BVERN  
DATE:                      CHECKED:  
DATE:                      PROG:  
DATE:                      ISSUED:

DESCRIPTION: RIDGE CAP - SCREW DOWN ROOF


2	GIRTH REVISED	APR 29/22	MR
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY

DRAWING # **M01**

PITCH	DESIG.	A°
.25/12	P02	178°
.5/12	P05	175°
1/12	P10	170°
2/12	P20	161°
3/12	P30	152°
4/12	P40	143°
5/12	P50	135°
6/12	P60	127°

'COLOUR SIDE'

NOTE: TRIM IS SYMMETRICAL ABOUT C



GIRTH: 18 1/4"

GAUGE	WEIGHT
29	0.99#/FT.
28	0.96#/FT.
26	1.15#/FT.
24	1.53#/FT.

**exsteel**  
BUILDING COMPONENTS

7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com

DATE: MAR 14/2011      DRAWN: AF  
DATE:                      CHECKED:  
DATE:                      PROG:  
DATE:                      ISSUED:

DESCRIPTION: RIDGE CAP - SCREW DOWN ROOF


2	REVISED DIMENSIONS	SEP 05/11	AF
1	GENERAL DETAIL REVIEW	MAR 14/11	AF
REV	DESCRIPTION	DATE	BY

DRAWING # **M282**

PITCH	DESIG.	A°
.25/12	P02	178°
.5/12	P05	175°
1/12	P10	170°
2/12	P20	161°
3/12	P30	152°
4/12	P40	143°
5/12	P50	135°
6/12	P60	127°

'COLOUR SIDE'

NOTE: TRIM IS SYMMETRICAL ABOUT  $\phi$



GIRTH: 14 1/4"


GAUGE	WEIGHT
29	0.78#/FT.
28	0.75#/FT.
26	0.90#/FT.
24	1.19#/FT.

 BUILDING COMPONENTS	7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
	DATE: JAN 18/2011	DRAWN: AF
	DATE:	CHECKED:
	DATE:	PROG:
	DATE:	ISSUED:
DESCRIPTION: RIDGE CAP - SCREW DOWN ROOF		
DRAWING #		M263


REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	MAR 14/11	AF

PITCH	DESIG.	A°
.25/12	P02	178°
.5/12	P05	175°
1/12	P10	170°
2/12	P20	161°
3/12	P30	152°
4/12	P40	143°
5/12	P50	135°
6/12	P60	127°
7/12	P70	119°
7.5/12	P75	116°

'COLOUR SIDE'



NOTE: TRIM IS SYMMETRICAL ABOUT CENTER LINE.




GIRTH: 26 1/8"

GAUGE	WEIGHT
29	1.21#/FT.
28	1.34#/FT.
26	1.61#/FT.
24	2.15#/FT.

 BUILDING COMPONENTS	7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
	DATE: JAN 26/1990	DRAWN: BVERN
	DATE:	CHECKED:
	DATE:	PROG:
	DATE:	ISSUED:
DESCRIPTION: RIDGE CAP - RTL-24		
DRAWING #		M28


REV	DESCRIPTION	DATE	BY
3	GIRTH REVISED	APR 29/22	MR
2	GIRTH REVISED	JAN 29/13	LD
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

	PITCH	DESIG.	GIRTH	A°	B"	C"
M255	.25/12	P02	26 1/2"	91°	5/8"	15/16"
	.5/12	P05	26 1/2"	92°	5/8"	15/16"
	1/12	P10	26 1/2"	95°	5/8"	15/16"
M277	2/12	P20	27 7/8"	99°	15/16"	1 5/16"
	3/12	P30	27 7/8"	104°	15/16"	1 5/16"
M278	4/12	P40	29 1/2"	108°	1 5/16"	1 3/4"
	5/12	P50	29 1/2"	113°	1 5/16"	1 3/4"
	6/12	P60	29 1/2"	117°	1 5/16"	1 3/4"



'COLOUR SIDE'

NOTE: TRIM IS SYMMETRICAL ABOUT  $\bar{C}$




MAX. 10'-0" LENGTHS


GAUGE	WEIGHT
29	1.13#/FT.
28	1.42#/FT.
26	N/A
24	N/A

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519-765-2244 www.exsteel.com	
		DATE: JAN 13/2011	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: VENTED RIDGE CAP			
DRAWING # M255, M277 & M278			


REV	DESCRIPTION	DATE	BY
3	ADDED INSECT SCREEN & FIBRE FILLING	MAR 06/12	IR
2	ADDED NOTES	SEP 05/11	AF
1	GENERAL DETAIL REVIEW	JAN 24/11	AF



	PITCH	DESIG.	A°
M255	.25/12	P02	179°
	.5/12	P05	178°
	1/12	P10	175°
M277	2/12	P20	170°
	3/12	P30	166°
M278	4/12	P40	162°
	5/12	P50	158°
	6/12	P60	153°



NOTE: TRIM IS SYMMETRICAL ABOUT  $\bar{C}$





GIRTH: 4" x 12 7/16"

FINISH:  
GALVALUME

GAUGE	WEIGHT
29	0.22#ea.
28	0.22#ea.
26	0.26#ea.
24	0.35#ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519-765-2244 www.exsteel.com	
		DATE: JUNE 19/2011	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: TRANSITION CAP (M255, M277 & M278 - M01)			
DRAWING # M283			

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	SEP 05/11	AF



GAUGE	WEIGHT
29	0.05#/FT.
28	0.06#/FT.
26	0.08#/FT.
24	0.10#/FT.

<b>exsteel</b> BUILDING COMPONENTS	7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com		
	DATE: JAN 14/2011	DRAWN: AF	
	DATE:	CHECKED:	
	DATE:	PROG:	
DATE:	ISSUED:		



DESCRIPTION: END CAP – VENTED RIDGE CAP (M255, M277 & M278)

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	SEP 05/11	AF

DRAWING # **M261**

'COLOUR SIDE'

NOTE: TRIM IS SYMMETRICAL ABOUT  $\varnothing$



MATERIAL: 3" x 22 3/8"

GAUGE	WEIGHT
29	0.23#/FT.
28	0.28#/FT.
26	0.34#/FT.
24	0.45#/FT.



<b>exsteel</b> BUILDING COMPONENTS	7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com		
	DATE: JAN 14/2011	DRAWN: AF	
	DATE:	CHECKED:	
	DATE:	PROG:	
DATE:	ISSUED:		

DESCRIPTION: VENTED RIDGE CAP STRAP (M255, M277 & M278)

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	SEP 05/11	AF

DRAWING # **M262**

'COLOUR SIDE'



GIRTH: 20 1/4"


GAUGE	WEIGHT
29	0.95#/FT.
28	1.17#/FT.
26	1.36#/FT.
24	1.76#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JAN 30/1990	DRAWN:	BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: CAP TRIM			
DRAWING #		M35	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY

PITCH	DESIG.	A°
.25/12	P02	178°
.5/12	P05	175°
1/12	P10	170°
2/12	P20	161°
3/12	P30	152°
4/12	P40	143°





'COLOUR SIDE'



GIRTH: 9"

GAUGE	WEIGHT
29	0.44#/FT.
28	0.51#/FT.
26	0.59#/FT.
24	0.77#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JAN 26/1990	DRAWN:	BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: LINER RIDGE CAP			
DRAWING #		M26	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY




GAUGE	WEIGHT
29	2.72# ea.
28	3.01# ea.
26	3.61# ea.
24	4.82# ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: END CAP - BOX VOID CLOSURE (M121)			
DRAWING #		M74	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

PITCH	DESIG.	A'	B'	A''
.25/12	P02	177.6'	91.2'	4 1/16"
.5/12	P05	175.2'	92.4'	4 3/16"
1/12	P10	170.5'	94.8'	4 3/8"
2/12	P20	161.1'	99.5'	4 3/4"
3/12	P30	151.9'	104.0'	5 1/8"
4/12	P40	143.1'	108.4'	5 9/16"
5/12	P50	134.8'	112.6'	6 1/16"
6/12	P60	126.9'	116.6'	6 9/16"

NOTE: TRIM IS SYMMETRICAL ABOUT C




MATERIAL: 1'-8 11/16" x 1'-1 9/16" MAX.

GAUGE	WEIGHT
29	0.87#ea.
28	0.83#ea.
26	1.00#ea.
24	1.33#ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: JAN 27/2011	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: RIDGE BOX - GABLE (M237)			
DRAWING #		M274	

REV	DESCRIPTION	DATE	BY
2	ADDED DOUBLE BEND TO 'J'	MAY 04/12	IR
1	GENERAL DETAIL REVIEW	SEP 05/11	AF




GIRTH: 2'-8 1/8" x 3'-0 1/2"

GAUGE	WEIGHT
29	5.85#ea.
28	5.63#ea.
26	6.75#ea.
24	9.00#ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: JAN 28/2011	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
CORNER BOX - GABLE (M237) - EAVE (M239 & M257) - RIGHT			
DRAWING #		M276	

REV	DESCRIPTION	DATE	BY
2	REVISED DIMENSIONS	SEP 05/11	AF
1	GENERAL DETAIL REVIEW	APR 08/11	AF




GIRTH: 2'-8 1/8" x 3'-0 1/2"

GAUGE	WEIGHT
29	5.85#ea.
28	5.63#ea.
26	6.75#ea.
24	9.00#ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: JAN 28/2011	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
CORNER BOX - GABLE (M237) - EAVE (M239 & M257) - LEFT			
DRAWING #		M275	

REV	DESCRIPTION	DATE	BY
2	REVISED DIMENSIONS	SEP 05/11	AF
1	GENERAL DETAIL REVIEW	APR 08/11	AF




GIRTH: 2'-8 1/8" x 3'-4 1/2"

GAUGE	WEIGHT
29	5.92#ea.
28	5.69#ea.
26	6.83#ea.
24	9.11#ea.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: July 05/2011	DRAWN: AF
		DATE:	CHECKED:
		DATE:	PROG:
		DATE:	ISSUED:
DESCRIPTION: CORNER BOX - GABLE (M237) - EAVE (M256 & M258) - RIGHT			
		DRAWING #	M297

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	OCT 28/11	AF



GIRTH: 2'-8 1/8" x 3'-4 1/2"

GAUGE	WEIGHT
29	5.92#ea.
28	5.69#ea.
26	6.83#ea.
24	9.11#ea.


		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: July 05/2011	DRAWN: AF
		DATE:	CHECKED:
		DATE:	PROG:
		DATE:	ISSUED:
DESCRIPTION: CORNER BOX - GABLE (M237) - EAVE (M256 & M258) - LEFT			
		DRAWING #	M296

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	OCT 28/11	AF




PITCH	DESIG.	A°
.25/12	P02	92°
.5/12	P05	93°
1/12	P10	95°
2/12	P20	100°
3/12	P30	104°
4/12	P40	109°


'COLOUR SIDE'



GIRTH: 13 1/2"

GAUGE	WEIGHT
29	0.62#/FT.
28	0.68#/FT.
26	0.82#/FT.
24	1.10#/FT.


		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: JAN 27/2010	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: HIGH/LOW EAVE/GABLE FLASHING			
DRAWING #		M234	
1	GENERAL DETAIL REVIEW	JAN 27/10	LD
REV	DESCRIPTION	DATE	BY




'COLOUR SIDE'


GIRTH: 21 1/8"

GAUGE	WEIGHT
29	1.07#/FT.
28	1.23#/FT.
26	1.43#/FT.
24	1.84#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: JAN 26/1990	DRAWN: BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: HIGH/LOW GABLE FLASHING			
DRAWING #		M25	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



PITCH	DESIG.	A°
0/12	P00	90°
.25/12	P02	91°
.5/12	P05	92.5°
1/12	P10	94.75°
2/12	P20	99.5°
3/12	P30	104°
4/12	P40	108.5°





GIRTH: 7"

GAUGE	WEIGHT
29	0.33#/FT.
28	0.41#/FT.
26	0.48#/FT.
24	0.61#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: MAY 10/1996	DRAWN: BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
EAVE/GABLE VAPOUR BARRIER FLASHING			
DRAWING #		M34	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD




GIRTH: 13 3/8"


GAUGE	WEIGHT
29	0.63#/FT.
28	0.70#/FT.
26	0.84#/FT.
24	1.11#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: NOV 27/2000	DRAWN: IMO
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:			
HIGH/LOW FLASHING - RTL-24 - FLOATING (LOWER PART)			
DRAWING #		M115	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



'COLOUR SIDE'




GIRTH: 4 1/8"

GAUGE	WEIGHT
29	0.19#/FT.
28	0.21#/FT.
26	0.26#/FT.
24	0.34#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	NOV 27/2000	DRAWN:	IMO
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: HIGH/LOW FLASHING - RTL-24 - FLOATING (UPPER PART)			
DRAWING #		<b>M116</b>	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

'COLOUR SIDE'



GIRTH: 7 1/2"


GAUGE	WEIGHT
29	0.35#/FT.
28	0.39#/FT.
26	0.47#/FT.
24	0.63#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JAN 23/2001	DRAWN:	IMO
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: CANOPY HIGH/LOW FLASHING			
DRAWING #		<b>M117</b>	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD


PITCH	DESIG.	A°
.25/12	P02	178°
.5/12	P05	177°
1/12	P10	173°
2/12	P20	167°
3/12	P30	160°
4/12	P40	154°

'COLOUR SIDE'



GIRTH: 24"


GAUGE	WEIGHT
29	1.10#/FT.
28	1.22#/FT.
26	1.46#/FT.
24	1.95#/FT.

 BUILDING COMPONENTS	7825 Springwater Road Aylmer, Ontario N5H 2R4 519-765-2244 www.exsteel.com	
	DATE: JAN 27/2010	DRAWN: AF
	DATE:	CHECKED:
	DATE:	PROG:
	DATE:	ISSUED:
DESCRIPTION: 'V' VALLEY TRIM - SCREW DOWN ROOF		
DRAWING #		M235

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 27/10	LD


PITCH	DESIG.	A°
.25/12	P02	134°
.5/12	P05	134°
1/12	P10	132°
2/12	P20	129°
3/12	P30	125°
4/12	P40	122°

'COLOUR SIDE'



GIRTH: 24 3/4"


GAUGE	WEIGHT
29	1.16#/FT.
28	1.29#/FT.
26	1.55#/FT.
24	2.06#/FT.

 BUILDING COMPONENTS	7825 Springwater Road Aylmer, Ontario N5H 2R4 519-765-2244 www.exsteel.com	
	DATE: JAN 27/2010	DRAWN: AF
	DATE:	CHECKED:
	DATE:	PROG:
	DATE:	ISSUED:
DESCRIPTION: 'W' VALLEY TRIM - 24" - SCREW DOWN ROOF		
DRAWING #		M236

REV	DESCRIPTION	DATE	BY
3	DESCRIPTION UPDATED	FEB 04/11	AF
2	DIMENSIONS AND GIRTH REVISED	DEC 02/10	LD
1	GENERAL DETAIL REVIEW	JAN 27/10	LD


PITCH	DESIG.	A°
.25/12	P02	134°
.5/12	P05	134°
1/12	P10	132°
2/12	P20	129°
3/12	P30	125°
4/12	P40	122°

'COLOUR SIDE'



GIRTH: 34 3/4"


GAUGE	WEIGHT
29	1.63#/FT.
28	1.81#/FT.
26	2.17#/FT.
24	2.89#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: DEC 02/2010	DRAWN: LD
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: 'W' VALLEY TRIM - 34" - SCREW DOWN ROOF			
DRAWING #		M249	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	DEC 02/10	LD


CHANGE OF PITCH	DESIG.	A°
1	P10	175.3°
2	P20	170.7°
3	P30	166.3°
4	P40	162.1°
5	P50	158.2°
6	P60	154.5°
7	P70	151.1°
8	P80	147.9°
9	P90	145.0°
10	P100	142.3°
11	P110	139.8°

'COLOUR SIDE'



GIRTH: 13 1/2"


GAUGE	WEIGHT
29	0.74#/FT.
28	0.71#/FT.
26	0.85#/FT.
24	1.13#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: JAN 24/2011	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: GAMBREL FLASHING			
DRAWING #		M238	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JUL 06/11	AF

CHANGE OF PITCH	DESIG.	A°
1	P10	175.3°
2	P20	170.7°
3	P30	166.3°
4	P40	162.1°
5	P50	158.2°
6	P60	154.5°
7	P70	151.1°
8	P80	147.9°
9	P90	145.0°
10	P100	142.3°
11	P110	139.8°

'COLOUR SIDE'




GIRTH: 13 1/2"

GAUGE	WEIGHT
29	0.74#/FT.
28	0.71#/FT.
26	0.85#/FT.
24	1.13#/FT.

 BUILDING COMPONENTS	7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
	DATE: JAN 24/2011	DRAWN: AF
	DATE:	CHECKED:
	DATE:	PROG:
	DATE:	ISSUED:
DESCRIPTION: PITCH CHANGE		
DRAWING # M244		

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JUL 06/11	AF



'COLOUR SIDE'




GIRTH: 18"

GAUGE	WEIGHT
29	0.84#/FT.
28	0.94#/FT.
26	1.13#/FT.
24	1.50#/FT.

 BUILDING COMPONENTS	7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
	DATE: SEPT 17/2002	DRAWN: IMO
	DATE:	CHECKED:
	DATE:	PROG:
	DATE:	ISSUED:
DESCRIPTION: TRANSITION FLASHING - RTL-24		
DRAWING # M111		

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

'COLOUR SIDE'





NOTE: USE DROP TO MAKE M80

MATERIAL:  
CUT FROM 3 1/2"x37" BLANK


GAUGE	WEIGHT
29	0.35# ea.
28	0.38# ea.
26	0.45# ea.
24	0.58# ea.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: SEPT 7/1995	DRAWN: BVERN		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: CLOSURE - METAL - STORM SEAL - LARGE TAB			
DRAWING #			<b>M79</b>

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



'COLOUR SIDE'



NOTE: USE DROP TO MAKE M79



MATERIAL:  
CUT FROM 3 1/2"x37" BLANK

GAUGE	WEIGHT
29	0.35# ea.
28	0.25# ea.
26	0.28# ea.
24	0.37# ea.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: SEPT 7/1995	DRAWN: BVERN		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: CLOSURE - METAL - STORM SEAL - SMALL TAB			
DRAWING #			<b>M80</b>

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

'COLOUR SIDE'





MATERIAL:  
CUT FROM 3 1/2"x37" BLANK


GAUGE	WEIGHT
29	0.41# ea.
28	0.40# ea.
26	0.48# ea.
24	0.64# ea.

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	MAR 21/11	AF

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: AUG. 11/2010	DRAWN: LD		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: CLOSURE - METAL - STRUC SEAL - LARGE TAB			
DRAWING #			<b>M246</b>



'COLOUR SIDE'




MATERIAL:  
CUT FROM 3 1/2"x37" BLANK

Colour: STONE GREY - QC8305



GAUGE	WEIGHT
29	0.41# ea.
28	0.40# ea.
26	0.48# ea.
24	0.64# ea.


REV	DESCRIPTION	DATE	BY
2	COLOUR ADDED	AUG 19/15	NMD
1	GENERAL DETAIL REVIEW	MAR 21/11	AF

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE: AUG. 11/2010	DRAWN: LD		
DATE:	CHECKED:		
DATE:	PROG:		
DATE:	ISSUED:		
DESCRIPTION: CLOSURE - METAL - STRUC SEAL - SMALL TAB			
DRAWING #			<b>M247</b>











 BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: CLOSURE - FOAM - VERSA SEAL - SMALL TAB			
DRAWING #		CLSVS-SM	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



 BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: CLOSURE - FOAM - VERSA SEAL - LARGE TAB			
DRAWING #		CLSVS-LG	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY





 BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: CLOSURE — FOAM — STRUC SEAL — SMALL TAB			
DRAWING #		CLS WP—SM	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY






 BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: CLOSURE — FOAM — STRUC SEAL — LARGE TAB			
DRAWING #		CLS WP—LG	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY





 BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: CLOSURE - FOAM - STORM SEAL - SMALL TAB			
DRAWING #		CLS-SM	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY

 BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: CLOSURE - FOAM - STORM SEAL - LARGE TAB			
DRAWING #		CLS-LG	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



 BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: CLOSURE - FOAM - DIAMOND SEAL - SMALL TAB			
DRAWING #		CLSDS-SM	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY


 BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: DEC 03/2009	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: CLOSURE - FOAM - DIAMOND SEAL - LARGE TAB			
DRAWING #		CLSDS-LG	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



GIRTH: 17"

GAUGE	WEIGHT
29	0.93#/FT.
28	0.89#/FT.
26	1.07#/FT.
24	1.42#/FT.


		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: JAN 18/2011	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: ACCENT BAND #1			
DRAWING #		M264	
1	GENERAL DETAIL REVIEW	MAR 14/11	AF
REV	DESCRIPTION	DATE	BY



GIRTH: 18"

GAUGE	WEIGHT
29	0.98#/FT.
28	0.94#/FT.
26	1.13#/FT.
24	1.50#/FT.


		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: JAN 18/2011	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: ACCENT BAND #2			
DRAWING #		M265	
1	GENERAL DETAIL REVIEW		
REV	DESCRIPTION	DATE	BY



GIRTH: 17 1/2"

GAUGE	WEIGHT
29	0.95#/FT.
28	0.92#/FT.
26	1.10#/FT.
24	1.46#/FT.


		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: JAN 18/2011	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: ACCENT BAND #3			
DRAWING #		M266	
1	GENERAL DETAIL REVIEW	MAR 14/11	AF
REV	DESCRIPTION	DATE	BY



GIRTH: 20 1/2"

GAUGE	WEIGHT
29	1.12#/FT.
28	1.07#/FT.
26	1.29#/FT.
24	1.71#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 <a href="http://www.exsteel.com">www.exsteel.com</a>	
		DATE: JAN 18/2011	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: ACCENT BAND #4			
DRAWING #		M267	
1	GENERAL DETAIL REVIEW	MAR 14/11	AF
REV	DESCRIPTION	DATE	BY




GIRTH: 32 1/2"

GAUGE	WEIGHT
29	1.77#/FT.
28	1.70#/FT.
26	2.04#/FT.
24	2.71#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: JAN 18/2011	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: ACCENT BAND #5			
DRAWING #		M268	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	MAR 14/11	AF




GIRTH: 22 1/2"

GAUGE	WEIGHT
29	1.22#/FT.
28	1.18#/FT.
26	1.41#/FT.
24	1.88#/FT.

		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
		DATE: JAN 18/2011	DRAWN: AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: ACCENT BAND #6			
DRAWING #		M269	


REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	MAR 14/11	AF



GIRTH: 20 3/8"

GAUGE	WEIGHT
29	1.11#/FT.
28	1.07#/FT.
26	1.28#/FT.
24	1.70#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JAN 18/2011	DRAWN:	AF
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: ACCENT BAND #7			
DRAWING #		M270	
1	GENERAL DETAIL REVIEW	MAR 14/11	AF
REV	DESCRIPTION	DATE	BY




'COLOUR SIDE'




GIRTH: 15 7/16"

GAUGE	WEIGHT
29	0.70#/FT.
28	0.80#/FT.
26	0.96#/FT.
24	1.28#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JAN 24/1990	DRAWN:	BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: DOWNSPOUT - 4"x3"			
DRAWING #		M14	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY









MATERIAL: 3"x14 5/8"

GAUGE	WEIGHT
29	0.17#/FT.
28	0.21# ea.
26	0.25# ea.
24	0.32# ea.


<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JAN 24/1990	DRAWN:	BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: DOWNSPOUT FLANGE			
DRAWING #		<b>M16</b>	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY



MATERIAL: 1 1/2"x18"

GAUGE	WEIGHT
29	0.17# ea.
28	0.13# ea.
26	0.15# ea.
24	0.20# ea.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	JAN 25/1990	DRAWN:	BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: DOWNSPOUT STRAP (M14)			
DRAWING #		<b>M17</b>	
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD
REV	DESCRIPTION	DATE	BY





GIRTH: 12"

GAUGE	WEIGHT
29	N/A
28	N/A
26	N/A
24	1.05#/FT.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	FEB 13/1990	DRAWN:	BVERN
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: TERMINATION ZEE - RTL-24 - COLOURED			
DRAWING #		<b>M46</b>	


REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



MATERIAL: 6" x 20ga. x 20'-2" (Galv.)  
WEIGHT: 15.2# ea.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	APR 05/2004	DRAWN:	IMO
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION: TERMINATION ZEE - RTL-24			
DRAWING #		<b>RZ242</b>	

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD



**exsteel**  
BUILDING COMPONENTS

7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com


DATE: APR 05/2004	DRAWN: IMO
DATE:	CHECKED:
DATE:	PROG:
DATE:	ISSUED:

DESCRIPTION: SLOTTED HIGH ZEE  
PLATE - RTL-24

MATERIAL: 4 1/2"x16ga.x5'-0" GALV.  
HOLES: 5 - 11/32"ø x 2" SLOTS  
WEIGHT: 4.69# ea.

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD

DRAWING # EP250



**exsteel**  
BUILDING COMPONENTS

7825 Springwater Road  
Aylmer, Ontario N5H 2R4  
519 - 765 - 2244  
www.exsteel.com


DATE: APR 05/2004	DRAWN: IMO
DATE:	CHECKED:
DATE:	PROG:
DATE:	ISSUED:

DESCRIPTION: SLOTTED LOW ZEE  
PLATE - RTL-24

MATERIAL: 3 1/8"x16ga.x5'-0" GALV.  
HOLES: 5 - 11/32"ø x 2" SLOTS  
WEIGHT: 3.26# ea.

REV	DESCRIPTION	DATE	BY
1	GENERAL DETAIL REVIEW	JAN 01/09	BJD


DRAWING # EP150



MATERIAL: 3 1/8"x16ga.x4'-0" GALV.  
 HOLES: 4-5/16"φ  
 WEIGHT: 2.6# ea.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	APR 7/98	DRAWN:	S.B.
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:		LOW ZEE PLATE	
DRAWING #		EP140	

REV	DESCRIPTION	DATE	BY
3	HOLE SPACING REVISED	APR 30/18	NMD
2	GENERAL REVISION	APR 5/04	IMO
1	COIL WIDTH & WEIGHT REVISED	NOV 4/03	IMO



MATERIAL: 4 1/2"x16ga.x4'-0" GALV.  
 HOLES: 4-5/16"φ  
 WEIGHT: 3.75# ea.

<b>exsteel</b> BUILDING COMPONENTS		7825 Springwater Road Aylmer, Ontario N5H 2R4 519 - 765 - 2244 www.exsteel.com	
DATE:	MAR 13/01	DRAWN:	S.B.
DATE:		CHECKED:	
DATE:		PROG:	
DATE:		ISSUED:	
DESCRIPTION:		HIGH ZEE PLATE	
DRAWING #		EP240	

REV	DESCRIPTION	DATE	BY
4	BEND DIMENSION REVISED	APR 03/24	TG
3	HOLE SPACING REVISED	APR 30/18	NMD
2	GENERAL REVISION	APR 5/04	IMO
1	BEND REMOVED	MAR. 13/01	S.B.